

Hertford County

Contaminant	Number of wells tested	Minimum	Maximum	Average	Maximum Contaminant Level (MCL) * Secondary MCL	Units	Number of wells tested above MCL	Percentage of wells tested above MCL	Number of wells below MCL	Percentage of wells tested below MCL
<u>1,2-</u>										
<u>Dibromomethane</u>	4	0.25	0.25	0.25	0.05	μg/L	0	0.00%		
<u>1,2-</u>										
<u>Dichloropropane</u>	4	0.25	0.25	0.25	5	μg/L	0	0.00%		
<u>Arsenic</u>	68	0.5	5	1.6	10	μg/L	0	0.00%		
<u>Barium</u>	34	50	50	50	2,000	μg/L	0	0.00%		
<u>Benzene</u>	4	0.25	0.25	0.25	5	μg/L	0	0.00%		
Cadmium	34	0.5	0.5	0.5	5	μg/L	0	0.00%		
Chromium	34	5	5	5	100	μg/L	0	0.00%		
cis-1,2- Dichloroethene (c-						, 0				
DCE)	7	0.25	0.25	0.25	70	μg/L	0	0.00%		
<u>Copper</u>	68	25	170	30.4	1,300*	μg/L	0	0.00%		
<u>Ethylbenzene</u>	4	0.25	0.25	0.25	700	μg/L	0	0.00%		
<u>Fluoride</u>	81	100	2,960.00	911.20	4,000*	μg/L	0	0.00%		
Iron	68	20	10,110.00	590.10	300*	μg/L	16	23.53%		
			-		No drinking	, 0-				
<u>Isopropyl Ether</u>	4	0.25	0.25	0.25	water standard	μg/L				
<u>Lead</u>	84	2.5	26	3.1	15	μg/L	1	1.19%		
					No drinking					
<u>Magnesium</u>	68	1,700	1,700.00	1,700.00	water standard	μg/L				
<u>Manganese</u>	68	15	1,030.00	55.30	50*	μg/L	16	23.53%		

	Number of wells				Maximum Contaminant Level (MCL) * Secondary		Number of wells tested above	Percentage of wells tested	Number of wells below	Percentage of wells tested
Contaminant	tested	Minimum	Maximum	Average	MCL	Units	MCL	above MCL	MCL	below MCL
Mercury	32	0.3	0.3	0.3	2	μg/L	0	0.00%		
					20*					
					(recommended					
Methyl tertiary	_				taste and odor		_			
butyl ether (MTBE)	7	0.25	0.25	0.25	threshold)	μg/L	0	0.00%		
<u>Nitrate</u>	75	500	10,810.00	1,356.30	10,000	μg/L	0	0.00%		
<u>Nitrite</u>	96	50	50	50	1,000	μg/L	0	0.00%		
						standard				
<u>pH</u>	68	4.7	8.6	7.55	6.5-8.5*	units	3	4.41%	12	17.65%
<u>Selenium</u>	34	2.5	2.5	2.5	50	μg/L	0	0.00%		
<u>Silver</u>	34	25	25	25	100*	μg/L	0	0.00%		
					No drinking					
<u>Sodium</u>	32	1,000	133,000.00	16,375.00	water standard	μg/L				
<u>Tetrachloroethylene</u>										
<u>(PCE)</u>	7	0.25	0.25	0.25	5	μg/L	0	0.00%		
<u>Toluene</u>	4	0.25	0.25	0.25	1,000	μg/L	0	0.00%		
<u>trans-1,2-</u>										
<u>Dichloroethene (t-</u>										
DCE)	7	0.25	0.25	0.25	100	μg/L	0	0.00%		
<u>Trichloroethylene</u>										
(TCE)	7	0.25	0.25	0.25	5	μg/L	0	0.00%		
<u>Vinyl chloride</u>	7	0.25	0.25	0.25	2	μg/L	0	0.00%		
Xylenes (Total)	4	0.25	0.25	0.25	10,000	μg/L	0	0.00%		
<u>Zinc</u>	68	25	46,180.00	854.90	5,000*	μg/L	2	2.94%		

^{*} Secondary MCL: Secondary contaminants may cause cosmetic effects (such as skin or tooth discoloration) or aesthetic effects (such as taste, odor, or color) in drinking water. The Secondary Maximum Contaminant Level (SMCL) is a non-enforceable standard for secondary contaminants in drinking water. SMCLs may be based upon a contaminant's likelihood to cause changes to the taste, odor, or color of drinking water, or, may be based on the likelihood of the contaminant to cause technical changes such as damage to water fixtures or an increased availability of other contaminants in drinking water.

Tracking and Analyzing Contaminants (TrAC) in Private Well Water in NC UNC Superfund Research Program- Research Translation Core Funded by an ARRA supplement from NIEHS (P42-ES005948) 2009-2011

